


Stadium Flood Lights High Power



Oficina: (662) 215-63-98

Cel: (662) 296-93-44

Cel: (631) 115-09-89



Periférico Norte #9 local 3, casi esq. con Juárez.
Col. Modelo, Hermosillo Sonora.



Wattsgreen.com.mx



Watts Green

Stadium Flood Lights High Power



Product Model: WG-XQCD-200W

1. LED Power: 280pcs(1 module)
2. Lamp Power: 200W
3. Voltage: 85V-277VAC
4. LED Luminous Efficiency: PHILIPS 3030, 27000LM
5. Lamp Efficiency: 80-85%
6. Color temperature: 2800-3200K, 4500-5000K, 6000-6500K
7. LED Life Span: >50000 H
8. IP Protection: IP66


9. Beam Angle: 25°, 45°, 60°, 90°
10. Net Weight: 6.5 KG
11. Product Size (mm): L300xW250xH120
12. Carton Size (mm): 405*315*215
13. LEDs: Watts Green, PHILIPS
14. Driver: Meanwell HLG
15. Material: Cold Forging +Aluminum



Product Model: WG-XQCD-300W

1. LED Power: 560pcs(1 module)
2. Lamp Power: 360W
3. Voltage: 85V-277VAC
4. LED Luminous Efficiency: PHILIPS 3030, 50400LM
5. Lamp Efficiency: 80-85%
6. Color temperature: 2800-3200K, 4500-5000K, 6000-6500K
7. LED Life Span: >50000 H
8. IP Protection: IP66


9. Beam Angle: 25°, 45°, 60°, 90°
10. Net Weigh: 13 KG
11. Product Size (mm): L460xW300xH150
12. Carton Size (mm): 575*395*245
13. LEDs: Watts Green, PHILIPS
14. Driver: Meanwell HLG
15. Material: Cold Forging +Aluminum



Product Model: WG-XQCD-560W

1. LED Power: 840pcs(1 module)
2. Lamp Power: 540W
3. Voltage: 85V-277VAC
4. LED Luminous Efficiency: PHILIPS 3030, 75600LM
5. Lamp Efficiency: 80-85%
6. Color temperature: 2800-3200K, 4500-5000K, 6000-6500K
7. LED Life Span: >50000 H
8. IP Protection: IP66


9. Beam Angle: 25°, 45°, 60°, 90°
10. Net Weight: 19 KG
11. Product Size (mm): L670xW300xH15
12. Carton Size (mm): 785*395*235
13. LEDs: Watts Green, PHILIPS
14. Driver: Meanwell HLG
15. Material: Cold Forging +Aluminum



Product Model: WG-XQCD-720W

1. LED Power: 1120pcs(1 module)
2. Lamp Power: 720W
3. Voltage: 85V-277VAC
4. LED Luminous Efficiency: PHILIPS 3030, 108000LM
5. Lamp Efficiency: 80-85%
6. Color temperature: 2800-3200K, 4500-5000K, 6000-6500K
7. LED Life Span: >50000 H
8. IP Protection: IP66

9. Beam Angle: 25°, 45°, 60°, 90°
10. Net Weight: 23 KG
11. Product Size (mm): L560xW460xH150
12. Carton Size (mm): 670*610*225
13. LEDs: Watts Green, PHILIPS
14. Driver: Meanwell HLG
15. Material: Cold Forging +Aluminum



Product Model: WG-XQCD-1080W

1. LED Power: 1680pcs(1 module)
2. Lamp Power: 1080W
3. Voltage: 85V-277VAC
4. LED Luminous Efficiency: PHILIPS 3030, 151200LM
5. Lamp Efficiency: 80-85%
6. Color temperature: 2800-3200K, 4500-5000K, 6000-6500K
7. LED Life Span: >50000 H
8. IP Protection: IP66

9. Beam Angle: 25°, 45°, 60°, 90°
10. Net Weight: 37 KG
11. Product Size (mm): L670xW560xH200
12. Carton Size (mm): 840*655*280
13. LEDs: Watts Green, PHILIPS
14. Driver: Meanwell HLG
15. Material: Cold Forging +Aluminum



Product Model: WG-XQCD-1440W

1. LED Power: 2240pcs(1 module)
2. Lamp Power: 1440W
3. Voltage: 85V-277VAC
4. LED Luminous Efficiency: PHILIPS 3030, 201600LM
5. Lamp Efficiency: 80-85%
6. Color temperature: 2800-3200K, 4500-5000K, 6000-6500K
7. LED Life Span: >50000 H
8. IP Protection: IP66

9. Beam Angle: 25°, 45°, 60°, 90°
10. Net Weight: 47 KG
11. Product Size (mm): L880xW560xH200
13. Carton Size (mm): 1050*655*300
14. LEDs: Watts Green, PHILIPS
15. Driver: Meanwell HLG
16. Material: Cold Forging +Aluminum

Remarks:

1. Garantía 5 años
2. Tiempo de entrega 3-4 semanas
3. Precios en Dólares
4. Los precios son antes de IVA