



Catálogo de productos

Con No. de stock en **Grupo México**



Acerca de Nosotros

Watts Green nace como empresa en la ciudad de Hermosillo, sonora, México el 25 de agosto de 2011 y surge con la finalidad de ofrecer a nuestros clientes la oportunidad de ahorro de energía en el sector público como privado, detectando la gran necesidad de las empresas y de los gobiernos en tener sistemas tecnológicos aplicados que eficienten los consumos de la energía y los mantenga a la vanguardia tecnológica causándoles una mejora en estructura y un ahorro económico en sus bolsillos.

Misión

Ofrecer a nuestros clientes productos y servicios que les permita generar, eficientar y ahorrar energía, implementando la variedad de productos tecnológicamente a la vanguardia, con sistemas de iluminación LED, además de los diferentes equipos que permitan generar energías renovable y limpias para el medio ambiente.

Visión

Convertirnos en asesores de las empresas en el tema de proyectos de generación y ahorro de energía, donde podamos crear una sinergia de colaboración en pro del ahorro energético y cuidado del medio ambiente.



Productos

Street Lights	4
Flood Lights	6
Emergency Lights	10
Wall Pack	13
Corn Lights	14
Panel Lights	18
Hand Flood Lights	20
UFO LED Lights	22
UFO Anti Explosion.....	27
LED Linear Lights.....	29
Truck Lights	31
LED Area Lights.....	34
LED Bi-Flood Lights.....	36
ALL IN ONE/LED Street lights.....	38
Componentes solares para STREET LIGHTS.....	40

Street Lights

Free series, full power solutions.
Modularization pluggable technology, free
on-site maintenance tools.



Street Lights



Product Model: **WGXL-D-SL01-120W / WGXL-D-SL01-120W-A**

LED Power: 36×3.33W(2 modules)

Lamp Power: 120W

Voltage: 245V-528VAC ó 85V-305VAC / 245V-528VAC ó 85V-305VAC

Light Effect: 135LM/W

Lamp Efficiency: 80-85%

Color temperature: 6000K

LED Life Span: >50000 H

Protection: IP68

No. de stock: **30436509**

Luminaria sustituida: Street light o alumbrado público
250-300W Metal Halide / HPS

Product Model: **WG-SL07-2-120W**
LED Power: 36×3.33W(2 modules)
Lamp Power: 120W
Voltage: 245V-528VAC ó 85V-305VAC
Light Effect: 135LM/W
Lamp Efficiency: 80-85%
Color temperature: 6000K
LED Life Span: >50000 H
Protection: IP68
No. de stock: **30435294**

Luminaria sustituida: Street light o alumbrado público
250-300W Metal Halide / HPS



Certifications



Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA: Fundición, Concentradora Nacozari, Cananea

Flood Lights

Free series, full power solutions.
Modularization pluggable technology, free
on-site maintenance tools.



WG-MF01 Flood Lights Series



WG-MF01-8-480W

LED Power: 144×3.33W(8 modules)
Lamp Power: 480W
Voltage: 245-528VAC ó 85V-305VAC
LED Luminous Efficiency: 135 lm/w
Lamp Efficiency: 80-85%
Color temperature: 6000k
LED Life Span: >50000 H

Module IP68, Driver IP67

No. De Stock: 30432145

Luminaria sustituida: Luminaria tipo campana 1500W Metal Halide / HPS ó Reflector 1500W En patios (Uso exterior e interior IP67) ó la suma del equivalente.

VOLTAJE: BAJO / ALTO



WG-MF01-13-780W

LED Power: 234×3.33W(13 modules)
Lamp Power: 780W
Voltage: 245-528VAC ó 85V-305VAC
LED Luminous Efficiency: 135 lm/w
Lamp Efficiency: 80-85%
Color temperature: 6000k
LED Life Span: >50000 H

Module IP68, Driver IP67

No. De Stock: 30432146

Luminaria sustituida: Luminaria tipo campana 2500W Metal Halide / HPS ó Reflector 2500W En patios (Uso exterior e interior IP67) ó la suma del equivalente



WG-MF01-17-1020W

LED Power: 306×3.33W(17 module)
Lamp Power: 1020W
Voltage: 245-528VAC ó 85V-305VAC
LED Luminous Efficiency: 135 lm/w
Lamp Efficiency: 80-85%
Color temperature: 6000k
LED Life Span: >50000 H

Module IP68, Driver IP67


No. De Stock: 30432147

Luminaria sustituida: Luminaria tipo campana 3400W Metal Halide / HPS ó Reflector 3400W En patios (Uso exterior e interior IP67) ó la suma del equivalente.

Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPESA: Fundición, Concentradora Nacozari, Cananea

Certifications





WG-MF05 Flood Lights

Model: WG-MF05-1-60W

LED Power: 18×3.33W

(1 module)

Lamp Power: 60W

Voltage: 85V-305VAC

Luminous Efficiency: 135 lm/w

Lamp Efficiency: 80-85%

Color temperature: 6000k

LED Life Span: >50000 H

Module IP68, Driver IP67


No. De Stock: 30471558

Luminaria sustituida: TUNELES, BANDAS, PARED, ETC.
150-250W Metal Halide / HPS.

Por sus materiales, resistencia y diseño anti-estallamiento, esta luminaria puede ser usada en áreas de proceso de manipulación de alimentos

MATERIALES DE FABRICACION DE LUMINARIA FLOOD LIGHT TIPO LED 60W

- A.** Material de acero galvanizado con tratamiento de superficie anti-corrosivo que tiene figura de U.
- B.** Fijadura de aluminio con tratamiento anti-oxidante y pintada.
- C.** Lente óptico de material plástico PC L1225Z resistente al fuego.
- D.** Tornillo de acero inoxidable.
- E.** Alojador de driver o controlador de material de aluminio con tratamiento anti-oxidante y pintado.



Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA: Fundición, Concentradora Nacozari, Cananea

Certifications



WG-TL02 Flood Lights Series



WG-TL02-150W | WG-TL02-150W A

LED Power: 54×2.77W(3 modules)
Lamp Power: 150W
Voltage: 245-528VAC ó 85V-305VAC
LED Luminous Efficiency: 135 lm/w
Lamp Efficiency: 80-85%
Color temperature: 6000k
LED Life Span: >50000 H
Module IP68, Driver IP67

VOLTAJE: BAJO / ALTO

No. De Stock: 30417528

Luminaria sustituida: Luminaria tipo campana 400W Metal Halide / HPS ó Reflector 400W En patios (Uso exterior e interior IP67).

WG-TL02-300W | WG-TL02-300W A

LED Power: 90×3.33W(5 modules)
Lamp Power: 300W
Voltage: 245-528VAC ó 85V-305VAC
LED Luminous Efficiency: 135 lm/w
Lamp Efficiency: 80-85%
Color temperature: 6000k
LED Life Span: >50000 H
Module IP68, Driver IP67

VOLTAJE: BAJO / ALTO

No. De Stock: 30417529

Luminaria sustituida: Luminaria tipo campana 1000W Metal Halide / HPS ó Reflector 400W En patios (Uso exterior e interior IP67)




Consideraciones:

Garantía 5 años

Tiempo de entrega 4 semanas

3. Consigna TEPSA:Fundición, Concentradora Nacozari, Cananea

Certifications



Emergency Lights





Portable Emergency Lamp

WG-EL878S90

Voltage: 110-240V 50/60Hz

Battery: 2x4V1.2AH SEAL LEAD ACID BATTERY

Charging Time: 20-24 hours

Discharging Time: 2-3 hours(high) 4-5 hours(low)

Lamp: 90 SMD LED



Size: 5.7*5.5*60cm

Color: White

Material: ABS(Body) GPPS(Cover)

No. De Stock: 3052962

Luminaria sustituida: Principalmente en oficinas y pasillos



Twin Spot Emergency Lighting

WG-LE2921

Voltage: 220-240 50-60Hz

Power: 6.8W

Output Voltage: 24V

Output Power: 10.5W

Lumen Output: 657.61 lm

Battery: 12V2.8Ah Ni-Cad Battery

Max Charge Current(mA): 330mA

Max Discharge Current(mA): 1A

Charging Time: 24H

Discharging Time: 3H

Lamp: 2835x56PCS

Packaging Details: 44x32x32CM/5PCS

10/9KGS

No. De Stock: 30529629

Luminaria sustituida: Uso en exteriores con IP65



Consideraciones:

1. Garantía 2 años en partes eléctricas y carcasa, 1 año en batería
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA:Fundición, Concentradora Nacozari, Cananea

Certifications



Wall Pack

For Square, Billboard, Parking Lot, Garden, Building,
Factory, Warehouse, Stadium, Gas Station, etc.



Wall Pack




Product Model: WG-WP01-60W
Power: 60W
Size: 330×230×200 mm
Lumen: 6000 lm
CCT: 2700/3000/4000/5000/>6000 K
Beam Angle: 120°

Net Weight: 3.28 kg
No. de Stock: 30434643
Luminaria Sustituida: WALLPACK 250W
Metal Halide / HPS

Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA:Fundición, Concentradora Nacozari, Cananea

Certifications



Corn Lights

Easy to install and operate
Energy saving, long service life



WG-SL09 LED Corn Lights



Product Model: **WG-SL09-30WA2**
LED QTY: Epistar 225pcs led
Rated Power: 30W
Voltage: 100V- 240VAC
Lamp Luminous Efficiency: 105lm/w
Color Temperature: 6000k
Lighting angle: 360degree
Lamp Size(CM): 9×21
PKG Size(CM): 24×12×12
N.W (kg): 0.4
G.W(kg): 0.55


LED Life Span: >50000 H
Applicable Height: 3-5M
Base: E39
Protection: IP64
No. de stock: 30435288
Luminaria sustituida: BULBO 60-85W
Metal Halide / HPS



Product Model: **WG-SL09-40WA2**
LED QTY: Epistar 280pcs led
Rated Power: 40W
Voltage: 100V- 240VAC
Lamp Luminous Efficiency: 105lm/w
Color Temperature: 6000k
Lighting angle: 360degree
Lamp Size(CM): 9×23
PKG Size(CM): 26×12×12
N.W (kg): 0.45
G.W(kg): 0.6

LED Life Span: >50000 H
Applicable Height: 3-5M
Base: E39
Protection: IP64
No. de stock: 30435289
Luminaria sustituida: BULBO 100-120W
Metal Halide / HPS

Light Brand
EPISTAR



Consideraciones:

1. Garantía 2 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA:Fundición, Concentradora Nacozari, Cananea

Certifications



Corn Lights | 15



Product Model: WG-SL09-60WA2
LED QTY: Epistar 400pcs led
Rated Power: 60W
Voltage: 100V- 240VAC
Lamp Luminous Efficiency: 105lm/w
Color Temperature: 6000k
Lighting angle: 360degree
Lamp Size(CM): 9×26
PKG Size(CM): 29×12×12
N.W (kg): 0.65
G.W(kg): 0.8


LED Life Span: >50000 H
Applicable Height: 4-6M
Base: E39
Protection: IP64
No. de stock: 30435290
Luminaria sustituida: BULBO 180-200W
Metal Halide / HPS



Product Model: WG-SL09-80WA2
LED QTY: Epistar 560pcs led
Rated Power: 80W
Voltage: 100V- 240VAC
Lamp Luminous Efficiency: 105lm/w
Color Temperature: 6000k
Lighting angle: 360degree
Lamp Size(CM): 11.2×25.5
PKG Size(CM): 29×12×12
N.W (kg): 0.65
G.W(kg): 0.8

LED Life Span: >50000 H
Applicable Height: 5-7M
Base: E39
Protection: IP65
No. de stock: 30435291
Luminaria sustituida: BULBO 220-240W
Metal Halide / HPS

Light Brand
EPISTAR



Consideraciones:

1. Garantía 2 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA: Fundición, Concentradora Nacozari, Cananea

Certifications





Product Model: **WG-SL09-100WA2**
LED QTY: Epistar 728pcs led
Rated Power: 100W
Voltage: 100V- 240VAC
Lamp Luminous Efficiency: 105lm/w
Color Temperature: 6000k
Lighting angle: 360degree
Lamp Size(CM): 11.2×26.5
PKG Size(CM): 30×12×12
N.W (kg): 0.7
G.W(kg): 0.85


LED Life Span: >50000 H
Applicable Height: 7-9M
Base: E39
Protection: IP65
No. de stock: 30435292
Luminaria sustituida: BULBO 280-320W
Metal Halide / HPS



Product Model: **WG-SL09-120WA2**
LED QTY: Epistar 896pcs led
Rated Power: 120W
Voltage: 100V- 240VAC
Lamp Luminous Efficiency: 105lm/w
Color Temperature: 6000k
Lighting angle: 360degree
Lamp Size(CM): 11.2X27.5
PKG Size(CM): 30×12×12
N.W (kg): 0.75
G.W(kg): 0.9

LED Life Span: >50000 H
Applicable Height: 8-10M
Base: E39
Protection: IP65
No. de stock: 30435293
Luminaria sustituida: BULBO 320-360W
Metal Halide / HPS

Light Brand
EPISTAR



Consideraciones:

1. Garantía 2 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPESA:Fundición, Concentradora Nacozari, Cananea

Certifications



Panel Lights



LED Panel Lights



WG-PL36W

LED Panel: 36W
Operating Voltage: 100-260V
Color Temperature: 6500K
Lumens: 3600 lm
Luminus Efficacy: 100 lm/w
Material: Aluminium
Opitonal Beam: 120°
Dimensions: 595x595 mm
CRI: 80Ra

No. De Stock: 30417530

Luminaria sustituida: Módulo de oficina con 2 tubos tipo U de 32W equivalentes a consumo de 72W incluyendo el balastro o similares.



WG-PL45W

LED Panel: 45W
Operating Voltage: 100-260V
Color Temperature: 6500K
Lumens: 4500 lm
Luminus Efficacy: 100 lm/w
Material: Aluminium
Opitonal Beam: 120°
Dimensions: 595x595 mm
CRI: 80Ra

No. De Stock: 30436510

Luminaria sustituida: Módulo de oficina con 3 tubos tipo T8 de 32W equivalentes a consumo de 111W incluyendo el balastro o similares



WGML-60120-72W

LED Qty: 480PCS
Lamp Power: 72W
Voltage: AC85~265V
LED Luminous Efficiency: 100LM/W
Lamp Efficiency: 80-85%
Color temperature: 6500K
Lamp Size(MM): 595x1195x9mm
LED Life Span: >50000 hrs
Applicable Hieght: 3M

No. De Stock: 30546380

Luminaria sustituida: Módulo de oficina con 4 tubos tipo T8 de 32W equivalentes a consumo de 148W incluyendo el balastro ó similares.

Consideraciones:

1. Garantía 2 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA: Fundición, Concentradora Nacozari, Cananea



Hand Flood Lights



WG-T5 Hand Flood Lights



Product Model: **WG-T5-50W**

LED Power: COB

Lamp Power: 50W

Voltage: 85V-265V

LED Luminous Efficiency: 90LM/W

Lamp Efficiency: 80-85%

Color temperature: 6000k

Lamp Size(MM): 285×230×155

PKG Size(MM): 290×235×160

N.W (kg): 3

G.W(kg): 4

LED Life Span: >20000 H

Protection: IP66

LED brand: Philips

No. de Stock: 30241129

Luminaria sustituida: Reflector 150-175W Metal Halide /HPS ó reflector 400-500W halogen.

Light Brand

PHILIPS



Consideraciones:

1. Garantía 1 año
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA:Fundición, Concentradora Nacozari, Cananea

UFO LED Lights



UFO LED High Bay Lights



Product Model: WGUFO-60WXY

Light Source: Philips 3030

Luminous Flux: 9000 Lumen

Rated Wattage: 60 W

Power Factor: > 0.95

Input Voltage: 100-277VAC,50/60Hz

Dimming Options: Non-dimmable/Dimmable

Color Temperature: 3000K~6500K

IP Rating: IP65

Lifetime: 50,000+ hours

Lens Beam Angle: 60° / 90° / 120°

Diameter*Height: 260mm*159mm

Light weight aluminum fin design+PC LENS

UL TUV SAA Meanwell Driver

No. de Stock: 30529635

Luminaria Sustituída: Reflector, campana, etc. 150W Metal Halide / HPS

Product Model: WGUFO-100WXY

Light Source: Philips 3030

Luminous Flux: 14000 Lumen

Rated Wattage: 100 W

Power Factor: > 0.95

Input Voltage: 100-277VAC,50/60Hz

Dimming Options: Non-dimmable/Dimmable

Color Temperature: 3000K~6500K

IP Rating: IP65

Lifetime: 50,000+ hours

Lens Beam Angle: 60° / 90° / 120°

Diameter*Height: 260mm*159mm


Light weight aluminum fin design+PC LENS

Non-dimmable Meanwell HBG-100-48A

Dimmable Meanwell HBG-100-48B

No. de Stock: 30529636

Luminaria Sustituída: Reflector, campana, etc. 200W~250W Metal Halide / HPS



Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA:Fundición, Concentradora Nacozari, Cananea

SAA CB



Certifications





Product Model: WGUFO-120WXY

Light Source: Philips 3030

Luminous Flux: 16800 Lumen

Rated Wattage: 120 W

Power Factor: > 0.95

Input Voltage: 100-277VAC, 50/60Hz

Dimming Options: Non-dimmable

Color Temperature: 3000K~6500K

IP Rating: IP65

Lifetime: 50,000+ hours

Lens Beam Angle: 60° / 90° / 120°

Diameter*Height: 260mm*164mm

Light weight aluminum fin design+PC LENS

Non-dimmable Meanwell HBG-160-48A

No. de Stock: 30529637

Luminaria Sustituída: Reflector, campana, etc. 300W~350W
Metal Halide / HPS

Product Model: WGUFO-150WXY / WGUFO-150WXY-A

Light Source: Philips 3030

Luminous Flux: 22500 Lumen

Rated Wattage: 150 W

Power Factor: > 0.95

Input Voltage: 100-277VAC, 50/60Hz I

Dimming Options: Non-dimmable/Dimmable

Color Temperature: 3000K~6500K

IP Rating: IP65

Lifetime: 50,000+ hours

Lens Beam Angle: 60° / 90° / 120°

Diameter*Height: 280mm*166mm

Light weight aluminum fin design


Non-dimmable Meanwell HBG-160-48A. Dimmable Meanwell

HBG-160-48B

No. de Stock: 30529638

Luminaria Sustituída: Reflector, campana, etc. 400W Metal
Halide / HPS

VOLTAJE: BAJO / ALTO



Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA: Fundición, Concentradora Nacozari, Cananea

Certifications





Product Model: WGUFO-200WXY

Light Source: Philips 3030

Luminous Flux: 28000 Lumen

Rated Wattage: 200 W

Power Factor: > 0.95

Input Voltage: 100-277VAC, 50/60Hz

Dimming Options: Non-dimmable/Dimmable

Color Temperature: 3000K~6500K

IP Rating: IP65

Lifetime: 50,000+ hours

Lens Beam Angle: 60° / 90° / 120°


Diameter*Height: 320mm*199mm

Light weight aluminum fin design+PC LENS

Non-dimmable Meanwell HBG-240-48A. Dimmable Meanwell HBG-240-48B

No. de Stock: 30529639

Luminaria Sustituída: Reflector, campana, etc. 600W~750 Metal Halide / HPS



Certifications

SAA CB



MATERIALES DE FABRICACION DE LUMINARIA UFO LED HIGH BAY



MILKY COVER = \$5 USD

LED PHILIPS 3030



REFLECTOR ACRILICO SIN TAPA = \$20 USD

CON TAPA = \$25 USD



Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA: Fundición, Concentradora Nacoziari, Cananea

UFO LED Anti ácido



WGUFO-WXY-LV-200W

Light Source: Philips 3030
Luminous Flux: 28000 Lumen
Rated Wattage: 200 W
Power Factor > 0.95
Input Voltage: 100-277VAC, 50/60Hz
Dimming Options: Non-dimmable/Dimmable
Color Temperature: 5700K
IP Rating: IP65
Lifetime: 50,000+ hours
90/120° : UGR < 25
Lens Beam Angle: 120°
Diameter*Height: 360mm*136mm
Light weight aluminum fin design+Tempered Glass
UL TUV SAA Meanwell Driver

No. de Stock: 30543870


Luminaria Sustituida: REFLECTOR EN ADITIVO METALICO 1000 WATTS

WGUFO-WXY-LV-240W

Light Source: Philips 3030
Luminous Flux: 33600 Lumen
Rated Wattage: 240 W
Power Factor > 0.95
Input Voltage: 347-480VAC, 50/60Hz
Dimming Options: Non-dimmable/Dimmable
Color Temperature: 5700K
IP Rating: IP65
Lifetime: 50,000+ hours
90/120° : UGR < 25
Lens Beam Angle: 120°
Diameter*Height: 420mm*139mm
Light weight aluminum fin design+Tempered Glass
UL TUV SAA Meanwell Driver

No. de Stock: 30543871

Luminaria Sustituida: REFLECTOR EN ADITIVO METALICO 1000 WATTS



Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA: Fundación, Concentradora Nacozari, Cananea

Certifications



UFO Explosion-proof LED Lights



Explosion proof LED Lights



Product model:
WG-EP120W-01-G1
 Rated Power: 120W
 Voltage: AC100-277V
 Temperature color: 3000k-5700K
 Luminous Efficiency: 140 LM/W
 Lamp Size(MM): $\Phi 337.5 \times H200$
 G.W (kg): 10.00
 Shock and vibration resistant

Die-cast aluminum
 anti-corrosion housing
No. de Stock: 30673728
Luminaria sustituida:
 Reflector, campana, etc.
 Metal Halide / HPS
Housing Color: Silver, orange

Product model:
WG-EP120W-01-G1
 Rated Power: 120W
 Voltage: AC100-277V
 Temperature color: 3000k-5700K
 Luminous Efficiency: 140 LM/W
 Lamp Size(MM): $\Phi 337.5 \times H200$
 G.W (kg): 10.00
 Shock and vibration resistant

Die-cast aluminum
 anti-corrosion housing
No. de Stock: 30673729
Luminaria sustituida:
 Reflector, campana, etc.
 Metal Halide / HPS
Housing Color: Silver, orange



**Power
Factor**
0.9

**Input
voltage:**

 100V-277VAC

CRI
>80

Guarantee

 5 Years

Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPESA: Fundición, Concentradora Nacozari, Cananea

Certifications



Luminaria LED Linear Light



Luminarias LED LINEAR LIGHTS

Uso rudo / Plástico



WGSOLN4NMB-40W

LED Qty: 182 PZS
Lamp Power: 40W
Voltage: AC100~240V
LED Luminous Efficiency: philips 3030 140LM/W
Lamp Efficiency: 80-85%
Color temperature: 5700k
Lamp Size (mm): 1200*85*6mm
Packing Size (mm): 1260*265*200mm
Net Weight (kg): 1.93

WGSOLN4NMB-70W

LED Qty: 338 PZS
Lamp Power: 70W
Voltage: AC100~240V
LED Luminous Efficiency: philips 3030 140LM/W
Lamp Efficiency: 80-85%
Color temperature: 5700k
Lamp Size (mm): 1200*85*6mm
Packing Size (mm): 1260*265*200mm
Net Weight (kg): 1.93

Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 3-4 semanas
3. Consigna TEPSA:Fundición, Concentradora Nacoziari, Cananea



Gross Weight (kg): 14.52 6pcs/ carton
LED Life Span: >50000 hrs
Applicable Hieght: 3-4M
Protetion: IP65
No. de stock: 3054387
Luminaria sustituida:
Sustituye gabinete tubo fluorescente 2x32W y 3x32W.
**Hecho con material plástico para ambiente ácido.*

Gross Weight (kg): 14.52 6pcs/ carton
LED Life Span: >50000 hrs
Applicable Hieght: 5-6M
Protection: IP65
No. de stock: 30543875
Luminaria sustituida:
Sustituye gabinete tubo fluorescente 2x59W y 4x32W.
**Hecho con material plástico para ambiente ácido.*

Certifications



Uso en oficinas / Aluminio



WGSOL2LN4DMA-30W

LED Qty: 144 PZS
Lamp Power: 30W
Voltage: AC100~277V
LED Luminous Efficiency: Philips 3030 130LM/W
Lamp Efficiency: 80-85%
Color temperature: 5000k
Lamp Size (mm): 1183±1mm
Packing Size (mm): 1265*315*270mm

WGSOL2LN5DMA-50W

LED Qty: 221 PZS
Lamp Power: 50W
Voltage: AC100~277V
LED Luminous Efficiency: Philips 3030 130LM/W
Lamp Efficiency: 80-85%
Color temperature: 5000k
Lamp Size (mm): 1483±1mm
Packing Size (mm): 1600*280*285mm

Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 3-4 semanas
3. Consigna TEPSA:Fundición, Concentradora Nacoziari, Cananea

Net Weight (kg): 1.3
Gross Weight (kg): 20.54 12pcs/ carton
LED Life Span: >50000 hrs
Applicable Hieght: 3M
Protetion: IP30
No. de stock: 30543872
Luminaria sustituida:
Sustituye gabinete tubo fluorescente.

Net Weight (kg): 1.5
Gross Weight (kg): 14.52 6pcs/ carton
LED Life Span: >50000 hrs
Applicable Hieght: 5-6M
Protection: IP65
No. de stock: 30543875
Luminaria sustituida:
Sustituye gabinete tubo fluorescente

Certifications





Truck Lights

Truck Lights Series



Product Model: WG-6888A-35W
LED Power: 35W
Operating Voltage: 10-30V DC
Waterproof rate: IP 67
Optional Color: Black, White
Color Temperature: 6000K
Material: Diecast aluminum housing
Lens material: PC
Mounting Bracket: Stainless Steel
Optional Beam: 45°, 60°

Life time: 30000 hours
Dimensions: 5.2 inch
Light Output: 4250 Lumens
Operation temperature: -40°C~85°C
Marca LED: CREE
No. de stock: 30452788
Luminaria sustituida: Truck Light
100W~125W Metal Halide/HPS



Product Model: WG-0850-35W
LED Power: 35Watt (7W X 5Pcs)
Operating Voltage: 10-30V
Waterproof rate: IP67
Housing color: Black
Color temperature: 6000K
Material: diecast Aluminum Housing
Lens material: PC
Mounting Bracket: Stainless Steel
Optional Beam: 45°, 60°

Life time: 30000 hours
Dimensions: 4 inch
Light Output: 4250 Lumens
Operation temperature: -40°C~85°C
Marca LED: Philips
No. de stock: 30452789
Luminaria sustituida: Truck Light
100W~125W Metal Halide/HPS

Light Brand

PHILIPS

Consideraciones:

1. Garantía 1 año
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA: Fundición, Concentradora Nacozari, Cananea



Certifications



Truck Lights Series



Product Model: WG-6888A-90W
LED Power: 90W
Operating Voltage: 10-30V DC
Waterproof rate: IP67
LED: 9pzs *10W
Color: Negro
Color Temperature: 6000K
Lens material: PC
Mounting Bracket: Acero Inoxidable
Angle: 60°

Life Time: 30,000 Hrs
Dimensions: 5.2 inch
No. de stock: 30529625
Luminaria sustituida: Truck Light 250W
Metal Halide/HPS



Product Model: WG-0850-50W
LED Power: 50W
Operating Voltage: 10-30V DC
Waterproof rate: IP67
LED: 5pzs *10W
Color: Negro
Color Temperature: 6000K
Lens material: PC
Mounting Bracket: Stainless Steel

Angle: 60°
Life Time: 30,000 Hrs
Dimensions: 5.2 inch
No. de stock: 30529626
Luminaria sustituida: Truck Light
150W~175W Metal Halide/HPS

Light Brand

PHILIPS

Consideraciones:

1. Garantía 1 año
2. Tiempo de entrega 4 semanas
3. Consigna TEPESA: Fundición, Concentradora Nacozari, Cananea



Certifications



LED AREA Lights



LED Area Lights



WG-LD-AR-B-50W

Lamp power: 50W
Operating Voltage: AC 100~277 V
Color Temperature: 5700K
Lumens: 7500 lm
Luminus Efficency: 150 LM/W
Applicable Hieght: 5-6M
LED Life Span: >50000 hrs
Dimensions: 345*512
IP67

No. De Stock: 30578543

Uso de Luminaria: Sustituye luminaria en aditivo metálico 150-175 Watts.



WG-LD-AR-B-100W

Lamp power: 100W
Operating Voltage: AC 100~277 V
Color Temperature: 5700K
Lumens: 7500 lm
Luminus Efficency: 150 LM/W
Applicable Hieght: 7-8M
LED Life Span: >50000 hrs
Dimensions: 345*512
IP67

No. De Stock: 30578544

Uso de Luminaria: Sustituye luminaria en aditivo metálico 350-400 Watts.



WG-LD-AR-B-150W


Lamp power: 150W
Operating Voltage: AC 100~277 V
Color Temperature: 5700K
Lumens: 7500 lm
Luminus Efficency: 150 LM/W
Applicable Hieght: 5-6M
LED Life Span: >50000 hrs
Dimensions: 345*657
IP67

No. De Stock: 30578545

Uso de Luminaria: Sustituye luminaria en aditivo metálico 400-600 Watts.

Consideraciones:

1. Garantía 2 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA:Fundición, Concentradora Nacozari, Cananea



Certifications



BI-FLOOD LIGHT LED



BI-FLOOD LIGHT LED



Light Brand

PHILIPS



Consideraciones:

1. Tiempo de entrega 4 semanas
2. Garantía: 5 años
3. Consigna TEPSA: Fundición, Concentradora Nacozari, Cananea

Product model:

WG-SL56-60W

Rated Power: 60W

LED QTY: 126pcs (2 MODULES)

Voltage: 90 - 305 V AC

Temperature color: 3000k-6000K

Luminous Efficiency: 135 LM/W

Lamp Size(MM): 360*408*170

N.W (kg): 6

Applicable Height: 2-6M

Boom size: 60MM

IP67

No. de stock: 30593199

Luminaria sustituida:

Luminaria en aditivo metálico

150-175 WATTS

Product model:

WG-SL56-80W

Rated Power: 80W

LED QTY: 126pcs (2 MODULES)

Voltage: 90 - 305 V AC

Temperature color: 3000k-6000K

Luminous Efficiency: 135 LM/W

Lamp Size(MM): 360*408*170

N.W (kg): 6

Applicable Height: 2-6M

Boom size: 60MM

IP67

No. de stock: 30593200

Luminaria sustituida:

Luminaria en aditivo metálico

175-200 WATTS

Product model:

WG-SL56-100W

Rated Power: 100W

LED QTY: 126pcs (2 MODULES)

Voltage: 90 - 305 V AC

Temperature color: 3000k-6000K

Luminous Efficiency: 135 LM/W

Lamp Size(MM): 360*408*170

N.W (kg): 6

Applicable Height: 2-6M

Boom size: 60MM

IP67

No. de stock: 30593201

Luminaria sustituida:

Luminaria en aditivo metálico

200-250 WATTS

Product model:

WG-SL56-120W

Rated Power: 120W

LED QTY: 126pcs (2 MODULES)

Voltage: 90 - 305 V AC

Temperature color: 3000k-6000K

Luminous Efficiency: 135 LM/W

Lamp Size(MM): 360*408*170

N.W (kg): 6

Applicable Height: 2-6M

Boom size: 60MM

IP67

No. de stock: 30593202

Luminaria sustituida:

Luminaria en aditivo metálico

250-300 WATTS



Certifications

ALL IN ONE

LED SOLAR STREET LIGHT



ALL IN ONE | LED SOLAR STREET LIGHTS



WG-ISSL-A-60W

LED Power (W): 60W
Solar Panel: 18V 80W, high-efficiency monocrystalline
Luminous Flux (lm): 210LM/W
Product Size (mm): 1078*385*139mm
Battery: 12.8V/42AH, LiFePO4 lithium, >2000 cycles at 80% DOD
Housing Materials: Aluminium alloy

+ PMMA
Lighting time: 4-5 nights
Solar charging time: 8~9 hours by bright sunlight
IP Grade: IP66
No. de stock: 30649856
Uso de Luminaria: Sustituye luminarias para vialidades.



WG-ISSL-A-120W

LED Power (W): 120W
Solar Panel: 18V 140W, high efficiency monocrystalline
Luminous Flux (lm): 210LM/W
Product Size (mm): 1868*385*139mm
Battery: 12.8V/72AH, LiFePO4 lithium, >2000 cycles at 80% DOD
Housing Materials: Aluminium alloy

+ PMMA
Lighting time: 4-5 nights
Solar charging time: 8~9 hours by bright sunlight
IP Grade: IP66
No. de stock: 30649857
Uso de Luminaria: Sustituye luminarias para vialidades.

Consideraciones:

1. Garantía 3 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA:Fundición, Concentradora Nacozari, Cananea



COMPONENTES SOLARES

DE SOLAR STREET LIGHTS



COMPONENTES SOLARES DE SOLAR STREET LIGHT



Product model: WG-TL02-100W
LED Power: 36*2.77W(2 modules)
Lamp Power: 100W
Voltage: 24VDC
LED Luminous Efficiency: PHILIPS
135LM/W
Lamp Efficiency: 80-85%
Color temperature: 6000k
LED Life Span: >50000 H

MODULE IP68, DRIVER IP67
No. de stock: 30595109



Consideraciones:

1. Garantía 1 año
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA:Fundición, Concentradora Nacozari, Cananea



Product model: WGUFO-DC-60WXY
Light Source: Philips 30302
Luminous Flux: 9000 Lumen
Rated Wattage: 60Watt
Power Factor: > 0.95
Input Voltage: 24VDC
IP Rating: IP65
Lifetime: 50,000+ hours
Lens Beam Angle: 60° / 90° / 120°

Diameter*Height: 260mm*159mm
UL TUV SAA Meanwell Driver
No. de stock: 30595111



Consideraciones:

1. Garantía 5 años
2. Tiempo de entrega 4 semanas
3. Consigna TEPSA:Fundición, Concentradora Nacozari, Cananea



Contacto:



Oficina: 662 151 2507

Cel: (662) 296-93-44

Cel: (631) 115-09-80



Las Vistas sur #2 Col. Las Vistas, C.P.: 83104
Hermosillo, Sonora



www.wattsgreen.com.mx